

Daftar Pustaka

- Afolabi MO, Abloye-Kuteyl EA, Arogundade FA, Bello. (2009). Prevalence of Chronic Kidney Disease in a Nigerian Family Practice Population. *SA Farm Pract* 2009; 51(2):132-137
- Anand, S., Johansen K.L., Tamura M.K. (2013). *Aging and Chronic Kidney Disease: The Impact on Physical Function and Cognition*. Oxford University Press on behalf of The Gerontological Society of America. CA 94304.
- Black, J.M., & Hawks, J.H. (2009). *Medical Surgical Nursing*. 8th. Singapore : Elsevier Ptc Ltd.
- Caroline, S.F., Conall M.O., Asya L., Joseph M., et al. (2011, January 17). A Risk Score for Chronic Kidney Disease in the General Population. *The American Journal Medicine Elsevier Inc.* (2012) 125, 270-277.
- Chen Wei, Lm Q, Wang H, Chen Weiqmg, Johnson RJ, Dong X, Li H, Ba S, Tan J, Luo N. He H, Yu H. (2010, October 12). Prevalence and risk faktor of chronic kidney disease : a population study in the Tibetan population. *Nephrol dial transplant*.
- Coresh, J., Selvin, E., & Stevens, L. A. (2007, May 20). Prevalence of Chronic Kidney Disease in the United States. *JAMA*. 2007;298(17):2038-2047.

Dahlan, M.S. (2011). Statistika untuk Kedokteran dan Kesehatan. Jakarta: PT ARKANS.

Dahlan, M.S. (2011). Besar Sampel Dalam Penelitian Kedokteran dan Kesehatan. Jakarta: PT ARKANS.

Department of Pharmacy India. (2012). A brief study of toxic effects of some medicinal herbs on kidney. Uttarakhand: Institute of Management and Technology

Devlin, J. (2014). NSAIDs and Renal Toxicity in the Community Setting: A Practical Guide for Clinicians. The Institute for Continuing Health Education. cme/ce Journal and Article. 0781-0000-13-009-H05-P

Division of Nephrology and Dialysis. (2010). Nonsteroidal Anti-Inflammatory Drugs and the Kidney. Vienna. Austria 2291-2321; doi:10.3390/ph3072291

Fored, C.M., Lindblad, P., Fryzek, J., Dickman, P.W. (2008, March 23). Association between smoking and cronic renal failure in a nationwide population based case control study ; J Am Soc Nephrol; 15 : 2178-85

Ganong, W. F., & McPhee, S.J. (2011). *Patofisiologis Penyakit : Pengantar Menuju Kedokteran Klinis, Ed 5*. Jakarta : Penerbit Buku Kedokteran EGC

Guyton, C.A., & Hall, J.E. (2012). *Buku Ajar Fisiologi Kedokteran, Ed 11*. Jakarta : Penerbit Buku Kedokteran EGC

Hidayat, T., Kushadiwijaya, H., Suhardi. (2008, Juni). Hubungan antara Hipertensi, Merokok, Minuman Suplemen Energi dan Kejadian Gagal Ginjal Kronis. *Berita Kedokteran Masyarakat*, Vol. 24, No. 2

Hernaningtyas. L. F. D. P. (2012). Hipertensi, Obesitas sentral dan Diabetes Melitus (komponen sindrom metabolik) Sebagai Prediktor Kejadian Penyakit Ginjal Kronis: Studi Kohort Retrospektif Pada Penduduk Kecamatan Blahbatuh Gianyar Bali. *Unud Library*, 858-221246221.

Hidayat, Aziz, Alimul. (2008). *Metode Penelitian Keperawatan dan Teknik Analisa Data*. Jakarta: Salemba Medika.

KDIGO, (2013, January). KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. *International Society Nephrology (ISN)*. Vol 3 | Issue 1 | January. <http://www.kidney-international.org>

Lapau, B. (2012). *Metode Penelitian Kesehatan Metode Ilmiah Penelitian Skripsi, Tesis, dan Disertasi*. Jakarta. Yayasan Pustaka Obor Indonesia.

Lerma, Berns, & Nissenson, (2009). *Current Diagnosis & Treatment Nephrology & Hypertension*. New York. Mc Graw Hill

Levey, A.S., Atkins, R., Coresh, J., Collins, A.J., Eckardt, K. E., Nahas, M. E., Jaber, B. L., Jadoul, M., Levin, A., Powe, N.R., Wheeler, D.C., Lameire, N.,.... Eknoyan G. (2010, June 13). Chronic kidney disease as a global public

health problem: Approaches and initiatives a position statement from
Kidney Disease Improving Global Outcomes. *Kidney International Society*,
72, 247–259; doi:10.1038/sj.ki.5002343.

Levey, A.S., Coresh, J., Balk, E., Kaustz, A.T., Levin, A., (2003). National
Kidney Foundation practice guidelines for chronic kidney disease: evaluasi,
klasifikasi and stratification; *Ann Intern Med*; 139:137 – 147

Litworth, L., Mumma, T.M., Tarone, J., Kavanaugh, K.L., Edwards, TL. E.,
Nahas. (2012, JuLy 23). Incidence and Predictors of End Stage Renal
Disease among Low-Income Blacks and Whites. *Plos One* 7(10) : e48407.
doi:10.1371/journal.pone.0048407 www.plosone.org,

McClellan, W.M., Flanders W.D. (2006, January) Risk Factors of Progressive
Chronic Kidney Disease. *J Am Soc Nephrol* 14: S65-70.

Mohamed, W.S., Alsulaimani A.A., Sewah A.H., Kosba A.H. (2015, October 15).
The relationship between different kinds of drinking water in Saudi Arabia
with the incidence of renal diseases. *International Research Journal of
Medicine and Medical Sciences*. Vol. 3(4), pp. 94-102, ISSN: 2354-211X

NIH/NHLBI (National Institutes of Health/National Heart Lung and Blood
Institutes).2004.[http://www.nhlbi.nih.gov/guidelines/hypertension/jnc7full.p
df](http://www.nhlbi.nih.gov/guidelines/hypertension/jnc7full.pdf)

Nawawi, Q. (2013, Juni 29). Populasi Penderita Gagal Ginjal Terus Meningkat di 2013. *Okezone.com*

Nicholas, F.D. (2014), Increased Risk of Chronic Kidney Disease among People With Hypertension, Diabetic Melitus, and Obesity. The Institute for Continuing Health Education. *cme/ce Journal and Article*. 0781-0000-13-009-H05-P

Notoatmojo, S. (2010). *Metodologi Penelitian Kesehatan*. Jakarta. Rineka Cipta

Nursalam. (2008). *Konsep dan penerapan metodologi penelitian ilmu keperawatan*. Jakarta: Salemba Medika.

Hidayat, T., Kushadiwijaya, H., Suhardi.(2008). Hubungan antara Hipertensi, Merokok, Minuman Suplemen Energi dan Kejadian Gagal Ginjal Kronis. *Berita Kedokteran Masyarakat*, Vol. 24, No. 2

Pranandari, R., & Supadmi, W. (2014, September). Faktor Risiko Gagal Ginjal Kronik di Unit Hemodialisis di RSUD Wates Kulon Progo. *Majalah Farmaseutik*, Vol.11, No.2

Price, S.A., & Wilson, L.M. (2006). *Konsep Klinis Proses-Proses Penyakit, E/6, Vol. 2*. Jakarta. Penerbit Buku Kedokteran EGC

Puspitasari, P., & Kusnadi, D. (2012, Oktober). Hubungan antara Konsumsi Minuman Berenergi yang mengandung Kombinasi Kafein dan Taurin dengan Kejadian Gagal Ginjal Kronis. *Jurnal Kesehatan Hesti Wirasakti*, Vol.3, No.3

RISKESDAS, (2013). Riset Kesehatan Dasar 2013. Jakarta. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI

Sabanayagam, C., Lim, S.C., Wong, T.Y., Lee, J., Shankar, A., Tai, E.S. (2010). Ethnic disparities in prevalence and impact of risk factors of chronic kidney disease. Pubmed. (2010) Aug;25(8):2564

Sudigdo Sastroasmoro. (2002). Dasar-Dasar Metodologi Penelitian Klinis. Jakarta: Universitas Indonesia.

Strippoli, G.F., Craig, J.C., Rochtchtna, E., Flood, V.M., Wang, J.J., Mitchel,P. (2011, January). Fluid, baverage and nutrient intake and risk of chronic kidney diseaseAsian Pacific Society of Nephrolog. Nephrology vol:16326 no334

Sudigdo Sastroasmoro & Sofyan Ismail. (2002). Ilmu Kesehatan Masyarakat: Prinsip-Prinsip Dasar. Jakarta: PT. Rineka Cipta.

Sudoyo A.W., Setyohadi B., Idrus A Simadibrata M., Setiati S. (Jakarta 2007). Buku Ajar Ilmu Penyakit Dalam. Pusat Penerbitan Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia.

Tjekyan, S. (2014, Oktober). Prevalensi dan Faktor Risiko Gagal Ginjal Kronik di RSUP DR Muhammad Husein Palembang, MKS, Th. 46, No. 4

Tohidi, M., HashemInia M.. (2012, September 27) Incidence of Chronic Kidney Disease and Its Risk Factors, Results of Over 10 Year Follow Up in an Iranian Cohort.Plos one. Volume7 Issue 9.e45304

Yamagata K, Ishida K, Sairenchi T , Takashi H, Ohba S, Shiigai T, NaritaM and Koyama A. (January 2007). Risk factor, for chronic kidney disease in a community-based population : a 10-years follow-up study. *Kidney International* 71,159-166

WebMD, (2008). Webster's New World Medical Dictionary. 3rd. New Jersey. Wiley Publishing.

Weiner, D. E. (2007, April 1). Causes and Consequences of Chronic Kidney Disease: *Journal Manage Care Pharmacy*. 2007;13(3)(suppl) S1-S9